

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** LUXULA

**Supplier's address:** ENOVATEK GmbH, Sillensteder Straße 213, 26441 Jever, DE

**Model identifier:** LX400110

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	SMD 2835		
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

## Product parameters

Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	30	Energy efficiency class	F
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	3 000 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power ( $P_{on}$ ), expressed in W	30,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,50
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	143	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	130	
	Depth	24	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,380 0,380
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	80	Survival factor	-
the lumen maintenance factor	-		
<b>Parameters for LED and OLED mains light sources:</b>			
displacement factor (cos $\phi_1$ )	0,90	Colour consistency in McAdam ellipses	6
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)	-
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	0,9

(a)-: not applicable;

(b)-: not applicable;

# Lightsource Test Report


## Product Information

Product Type: LX400110  
Product Number: 3

Product Spec: 4000K

## CIE Colorimetric Parameters

Chromaticity coordinates:  $x=0.3760$   $y=0.3731$   $u(u')=0.2236$   $v=0.3329$   $v'=0.4993$   
CCT:  $T_c=4098K$  ( $duv=-0.00038$ ) Color Ratio:  $R=0.180$   $G=0.788$   $B=0.032$   
Peak Wavelength: 450.8nm Half Bandwidth: 17.6nm  
Dominant Wavelength: 578.9nm Color Purity: 0.248  
CRI:  $R_a=81.5$  TM30:  $R_f=79$ ,  $R_g=96$   
 $R1=80$   $R2=87$   $R3=91$   $R4=81$   $R5=80$   $R6=81$   $R7=86$   $R8=66$   
 $R9=8$   $R10=67$   $R11=80$   $R12=55$   $R13=82$   $R14=95$   $R15=75$   
Color Quality Scale:  $Q_a=80.8$ ,  $Q_f=80.5$ ,  $Q_p=82.0$ ,  $Q_g=93.8$   
 $Q1=82$   $Q2=98$   $Q3=74$   $Q4=72$   $Q5=79$   $Q6=81$   $Q7=83$   $Q8=88$   
 $Q9=96$   $Q10=85$   $Q11=82$   $Q12=82$   $Q13=82$   $Q14=72$   $Q15=76$



## Photometric Parameters

Luminous Flux: 2933.67 lm  
EEI: 0.14

Efficiency: 95.87 lm/W

Radiant Power: 8.881 W

Energy Efficiency Class: A+ (EU 874-2012)

## Electric Parameters

Voltage: 231.00V  
Power Factor: 0.9820

Current: 0.1350A  
Frequency: 50.00Hz

Power: 30.60W

### Test Information


Scan Range: 380~800:1nm  
Stabilization Time: 0 ms  
Max of Signal: 18447 (37423)

Photometric Method: sphere-spectroradiometer  
Photometric Condition: Sphere diameter: 1.00m, 4π  
CCD Integration Time: 139.63 ms

Condition:  $T_x:0.0^{\circ}C$ ,  $T_i:0.0^{\circ}C$ , R.H.:60%  
Test Lab:  
Operator:

Test Device: Inventive CMS-2S (Plus)  
Test Time:  
Inspector:

Model placed on the Union market from 03/04/2023



**EPREL registration number:** 1545716

<https://eprel.ec.europa.eu/qr/1545716>

**Supplier:** ENOVATEK GmbH (Importer)

**Website:** [www.enovatek.de](http://www.enovatek.de)

**Customer care service:**

**Name:** ENOVATEK GmbH

**Website:** [www.enovatek.de](http://www.enovatek.de)

**Email:** [info@enovatek.de](mailto:info@enovatek.de)

**Phone:** +49 4461 / 7464233

**Address:**

Sillensteder Straße 213

26441 Jever

Germany