

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** ENOVALITE

**Supplier's address:** ENOVATEK GmbH, Sillensteder Straße 213, 26441 Jever, DE

**Model identifier:** ELED600200

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	SMD		
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

## Product parameters

Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	36	Energy efficiency class	F
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	3 600 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power ( $P_{on}$ ), expressed in W	36,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,50
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	295	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	1 195	
	Depth	9	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,379 0,383
<b>Parameters for directional light sources:</b>			
Peak luminous intensity (cd)	1 136	Beam angle in degrees, or the range of beam angles that can be set	120
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	80	Survival factor	-
the lumen maintenance factor	-		
<b>Parameters for LED and OLED mains light sources:</b>			
displacement factor (cos $\phi_1$ )	0,90	Colour consistency in McAdam ellipses	6
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)	-
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	0,9

(a) '-': not applicable;

(b) '-': not applicable;

# LED Test Report

**Product Mark**

Product Type :812317

Temperature :65°C


Operator :admin

Remark:

Manufacturer :

Humidity :65%

Test Date :2021-05-27 15:07:06



**Chroma Parameters**

Chro.Coord.:x=0.3790 y=0.3836 u=0.2215 v=0.3363 duv=0.0036

CCT: 4088K Dominant Wave.:576.9nm Purity:28.9%

Flux RGB Ratio:R=17.6%,G=80.1%,B=2.3% Peak Wave:451.6nm Half Width:20.1nm

**Rendering Index:Ra= 81.7**

R1 =79	R2 =88	R3 =95	R4 =81	R5 =80	R6 =84	R7 =86	R8 =62
R9 =1	R10=71	R11=79	R12=58	R13=81	R14=97	R15=72	

**Photo Parameters**

Flux:3377.53lm      Effi.:96.1lm/W      Radiant:9030.2mW      Iv:0.0mcd  
 Efficiency:0.142      Effi Level:A+ (EU 874-2012)


**Ele. Parameters**

Voltage:U=232.100V      Current:I=0.1580A  
 Power:P=35.15W      Power Factor:PF=0.958

**Instrument state**

Instrument:Hopoo HP8000      Integral Time: 61.074ms      VPeak: 13290  
 VDark: 1229      Scan Range: 380-780nm      Product ID: 201306373

Model placed on the Union market from 16/03/2023



**EPREL registration number:** 1526925

<https://eprel.ec.europa.eu/qr/1526925>

**Supplier:** ENOVATEK GmbH (Importer)

**Website:** [www.enovatek.de](http://www.enovatek.de)

**Customer care service:**

**Name:** ENOVATEK GmbH

**Website:** [www.enovatek.de](http://www.enovatek.de)

**Email:** [info@enovatek.de](mailto:info@enovatek.de)

**Phone:** +49 4461 / 7464233

**Address:**

Sillensteder Straße 213

26441 Jever

Germany